

Work Order ID 83679

April-23-12 11:13:52 AM

83679

Page 1

Item ID: D3914-041 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Long Basket Lid Assembly (350)
 Start Date: 23/04/2012 Start Qty: 1.00 ***1*** Cust Item ID:
 Required Date: 07/05/2012 Req'd Qty: 1.00 ***1*** Customer:
 Reference:

Approvals: Process Plan: ML5 Date: 12/04/23 Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

| Sequence ID/ Work Center ID | Operation Description | Set Up/ Run Hours | Tool ID | Tool # | Plan Code | Accept Qty | Reject Qty | Reject Number | Insp. Stamp |
|--------------------------------|--------------------------|----------------------|---------|--------|--------------|---------------|---------------|------------------|----------------|
| Draw Nbr | Revision Nbr | | | | | | | | |
| D3914 | B | | | | | | | | |
| D4020 | A | | | | | | | | |

100' Weld per dwg A/R S.S. rod Batch: 4118161 0.00
100 Large Fab
 Memo 0.00
 1- assemble ribs, weld as per dwg D3914 using DT9607A
 2- weld hinge (3) and Mounting brackets as per dwg D3914
 Visual inspect before welding mesh
 3- tack weld mesh on basket as per dwg D3914
 Cut out mesh where label plate goes in center off basket lid as per dwg D4020-5. Make sure to place mesh correctly on lid, check with label plate before tacking mesh

(1x)

12.05.10

110 QC9- Inspect visual per QSI004- Fusion Welds 0.00
110 QC Memo 0.00
 Quality Control

1x

12.05.11

| W/O: | | WORK ORDER CHANGES | | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|--|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector | |
| | | | | | | | | |
| | | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

Work Order ID 83679

April-23-12 11:13:52 AM

83679

Page 2

Item ID: D3914-041 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Long Basket Lid Assembly (350)
 Start Date: 23/04/2012 Start Qty: 1.00 ***1*** Cust Item ID:
 Required Date: 07/05/2012 Req'd Qty: 1.00 ***1*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

| Sequence ID/ Work Center ID | Operation Description | Set Up/ Run Hours | Tool ID | Tool # | Plan Code | Accept Qty | Reject Qty | Reject Number | Insp. Stamp |
|--------------------------------|--------------------------|----------------------|---------|--------|--------------|---------------|---------------|------------------|----------------|
|--------------------------------|--------------------------|----------------------|---------|--------|--------------|---------------|---------------|------------------|----------------|

120 QC5- Inspect part completeness to step on W/O 0.00

120

QC

Quality Control

Memo

0.00

130

Black Sandtex(Ref:4.3.5.7) per QSI005 4.3

0.00

130

Powdercoat

Powder Coating

Memo

0.00

*** mask sides of hinge prior to powdercoat***

Start Time: 8:11:35

Oven Temperature: 3200 F

Finish Time: 8:45

140

Wing Walk as per dwg QSI005 4.4 Batch _____

0.00

140

HandFinish

Hand Finishing

Memo

0.00

1- Mask data plate and apply wing walk on outside surface of mesh as per dwg

2- Install placard and label as per dwg

***Mask label plate to size of label, use scotchbrite red pad to lightly sand area for label, apply label ***

Handwritten notes and signatures:
 12/25/11
 12/25/11
 12/25/11

Handwritten: M117338

| W/O: | | WORK ORDER CHANGES | | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|--|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector | |
| | | | | | | | | |
| | | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

Work Order ID 83679

83679

Page 3

April-23-12 11:13:52 AM

Item ID: D3914-041 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Long Basket Lid Assembly (350)
 Start Date: 23/04/2012 Start Qty: 1.00 ***1*** Cust Item ID:
 Required Date: 07/05/2012 Req'd Qty: 1.00 ***1*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

| Sequence ID/ Work Center ID | Operation Description | Set Up/ Run Hours | Tool ID | Tool # | Plan Code | Accept Qty | Reject Qty | Reject Number | Insp. Stamp |
|--------------------------------|--|----------------------|---------|--------|--------------|---------------|---------------|------------------|----------------|
| 150 | QC3- Inspect Part Finish | 0.00 | | | | | | | |
| *150* | | | | | | | | | |
| QC | Memo | 0.00 | | | | 1x | 0 | 12/05/14 | |
| Quality Control | | | | | | | | | |
| 160 | Identify as per dwg & Stock Location: <u>D3914-041</u> | 0.00 | | | | | | | |
| *160* | | | | | | | | | |
| Packaging | Memo | 0.00 | | | | 1 | 0 | 12/05-14 | |
| Packaging | | | | | | | | | |
| 170 | QC21- Final Inspection - Work Order Release | 0.00 | | | | | | | |
| *170* | | | | | | | | | |
| QC | Memo | 0.00 | | | | | | | |
| Quality Control | | | | | | | | | |

82534

12/5/15
MF 12-05-14

| W/O: | | WORK ORDER CHANGES | | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|--|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector | |
| | | | | | | | | |
| | | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

Picklist Print

April-23-12 11:13:56 AM

Page 1

Work Order ID: 83679

83679

Parent Item: D3914-041

D3914-041

Parent Item Name: Long Basket Lid Assembly (350)

Start Date: 23/04/2012

Required Date: 07/05/2012

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:A new issue DD 10.03.19 verified by:EC
as per dwg revB DD 10.08.18 verified by:EC

IPP Rev:B

| Component Item ID/ Item Name | Replacement Item ID | Mfg/ Purch | Bin Item | Primary Location | Last Location | Route Seq ID | Unit of Measure | Qty on Hand | Qty per Kit | Total Qty | Qty Issued | Date Issued | Status |
|---------------------------------|------------------------|---------------|-------------|---------------------|------------------|-----------------|--------------------|----------------|-------------|--------------|---------------|----------------|--------|
|---------------------------------|------------------------|---------------|-------------|---------------------|------------------|-----------------|--------------------|----------------|-------------|--------------|---------------|----------------|--------|

| | | | | | | | | | | | | | |
|-------|--|--------------|----|--|--|-----|------|----------|---|---|--|--|--|
| D2581 | | Manufactured | No | | | 100 | Each | 100.0000 | 2 | 2 | | | |
|-------|--|--------------|----|--|--|-----|------|----------|---|---|--|--|--|

D2581

Mounting Bracket

**

12.05.09

Location

Loc Qty

Loc Code

WA

11

82506

11

WA005

89

70766

2

81253

1

82017

46

82897

40

2x

D3914-1

Manufactured No

100

Each

9.0000

2

2

D3914-1

Rib

**

B82926 → 1x 12.05.09

B81449 → 1x

Location

Loc Qty

Loc Code

WA

2

WA006

7

81449

8

82131

1

D3914-7

Manufactured No

100

Each

10.0000

2

2

D3914-7

Rib

**

B82927 → 1x 12.05.09

B84233 → 1x

Location

Loc Qty

Loc Code

WA

-2

80789

3

81209

1

WA006

12

82929

6

| W/O: | | WORK ORDER CHANGES | | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|--|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector | |
| | | | | | | | | |
| | | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

Picklist Print

April-23-12 11:13:56 AM

Page 2

Work Order ID: 83679

83679

Parent Item: D3914-041

D3914-041

Parent Item Name: Long Basket Lid Assembly (350)

Start Date: 23/04/2012

Required Date: 07/05/2012

Start Qty: 1.00

Required Qty: 1.00

D4016-3 Manufactured No

100 Each 12.0000 3 3

D4016-3

Hinge Half, Lid

**

B82968 → 1x SJ 12.05.09

Location

Loc Qty

Loc Code

WA

12

82523

12

2x

D4018-5 Manufactured No

100 Each 34.0000 9 9

D4018-5

Rib

**

B83868 → 8x SJ 12.05.09
B83869 → 1x

Location

Loc Qty

Loc Code

WA005

34

80776

1

81179

6

82508

27

D4020-5 Manufactured No

100 Each 3.0000 1 1

D4020-5

Mesh (350 Basket Long, Lid)

**

B82513 SJ 12.05.09

Location

Loc Qty

Loc Code

WA

3

82310

3

D4021-3 Manufactured No

100 Each 11.0000 1 1

D4021-3

Data Plate

**

B81451 → 1x SJ 12.05.09

Location

Loc Qty

Loc Code

WA

11

80897

9

82507

2

| W/O: | | WORK ORDER CHANGES | | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|--|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector | |
| | | | | | | | | |
| | | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

Picklist Print

April-23-12 11:13:56 AM

Page 3

Work Order ID: 83679

Parent Item: D3914-041

Parent Item Name: Long Basket Lid Assembly (350)

83679

D3914-041

Start Date: 23/04/2012

Required Date: 07/05/2012

Start Qty: 1.00

Required Qty: 1.00

D4035-041

Manufactured No

100

Each

5.0000

1

1

D4035-041

Lid Rib Assembly, Fwd (350 Basket)

**

B83231 → 1x 12.05.09

Location

Loc Qty

Loc Code

WA

1

63720

0

81450

1

WA006

4

81192

4

D4035-043

Manufactured No

100

Each

5.0000

1

1

D4035-043

Lid Rib Assembly, Aft (350 Basket)

**

B83232 → 1x 12.05.09

Location

Loc Qty

Loc Code

WA

1

81452

1

WA006

4

81202

2

81203

2

D2728-3

Manufactured No

140

Each

0.0000

1

1

D2728-3

Dart Logo label

15000.

**

1 BL 12.5.11

| W/O: | | WORK ORDER CHANGES | | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|--|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector | |
| | | | | | | | | |
| | | | | | | | | |


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

| ITEM | QTY | P/N | DESCRIPTION |
|------|-----|-----------|----------------------------|
| | X | D3914-041 | LONG BASKET LID ASSY (350) |
| 1 | 1 | D3914-101 | TUBULAR ASSY, LONG LID |
| 2 | 2 | D2581 | MOUNTING BRACKET |
| 3 | 1 | D2728-3 | DART LOGO LABEL |
| 4 | 3 | D4016-3 | HINGE HALF, LID |
| 6 | 1 | D4020-5 | LID MESH, 350 LONG BASKET |
| 7 | 1 | D4021-3 | DATA PLATE |



D3914-041 LONG BASKET LID ASSY (350)
(MESH SHOWN LOCALLY FOR CLARITY)

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT

WITHOUT NOTICE
WORK ORDER
NO. 83679 MLJ

12/04/23

RELEASED
10.08.17 GP
ECN 10-596

| | | | |
|------------|---|--|----------|
| B | REMOVED D4088-210, UPDATED DETAIL F ACCORDINGLY (A3-2). REASON: NOW INSTALLED BY OPERATORS PER D350-607-2 REV. C AND D350-607-3 REV. A. | MB | 10.08.05 |
| A | NEW ISSUE | JPH | 10.03.16 |
| REV. | DESCRIPTION | BY | DATE |
| DESIGN | ALS | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. D3914 REV. B SHEET 1 OF 4 TITLE LONG BASKET LID ASSY (350) SCALE NTS COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT THE WRITTEN PERMISSION FROM DART AEROSPACE LTD. | |
| DRAWN | SC | | |
| CHECKED | AS | | |
| MFG. APPR. | AS | | |
| APPROVED | MLJ | | |
| DE APPR. | MLJ | | |
| DATE | 10.08.05 | | |

Dart Aerospace Ltd


| W/O: | | WORK ORDER CHANGES | | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|--|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector | |
| | | | | | | | | |
| | | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____






| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries



RELEASED
10.08.12 LP

D3914-041 LONG BASKET LID ASSY (350)
(MESH SHOWN LOCALLY FOR CLARITY)



- NOTES:**
- 1) MATERIAL: N/A
 - 2) FINISH: POWDER COAT BLACK SANDEXT (4.3.5.7) PER DART QSI 005 4.3
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 22.35 lbs APPROX
 - 8) MASK HOLES PRIOR TO FINISHING
 - 9) WELD PER DART QSI 004

| | | | |
|------------|----------|--|--------------|
| DESIGN | ALS | DART AEROSPACE LTD | |
| DRAWN | SC | HAWKESBURY, ONTARIO, CANADA | |
| CHECKED | SC | DRAWING NO. | REV. B |
| MFG. APPR. | NTS | D3914 | SHEET 2 OF 4 |
| APPROVED | | TITLE | SCALE |
| DE APPR. | | LONG BASKET LID ASSY (350) | NTS |
| DATE | 10.08.05 | COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY FORM OR MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD. | |

| W/O: | | WORK ORDER CHANGES | | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|--|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector | |
| | | | | | | | | |
| | | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

| ITEM | QTY -101 | P/N | DESCRIPTION |
|------|-------------|-----------|------------------------------|
| | X | D3914-101 | TUBULAR ASSY, LONG LID (350) |
| 1 | 2 | D3914-1 | RIB |
| 2 | 2 | D3914-7 | RIB |
| 3 | 9 | D4018-5 | RIB |
| 4 | 1 | D4035-041 | BASKET LID RIB ASSY, FWD |
| 5 | 1 | D4035-043 | BASKET LID RIB ASSY, AFT |




SECTION E-E CS-3

83679

D4035-041
RIB ASSY, FWD

D4035-043
RIB ASSY, AFT



8 D3914-101 TUBULAR ASSY, LONG LID

RELEASED
10-08-12

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 14.10 lbs
- 8) TOLERANCE FOR XX.XX DIMENSIONS ± 0.06 FOR D4018-101
- 9) WELD PER DART QSI 004

| | | | |
|--|----------|--|--------------|
| DESIGN | ALS | DART AEROSPACE LTD | |
| DRAWN | | HAWKESBURY, ONTARIO, CANADA | |
| CHECKED | RC | DRAWING NO. | REV. B |
| MFG. APPR. | WJ | D3914 | SHEET 3 OF 4 |
| APPROVED | WJ | TITLE | SCALE |
| DE APPR. | WJ | LONG BASKET LID ASSY (350) NTS | |
| DATE | 10.08.05 | COPYRIGHT © 2010 BY DART AEROSPACE LTD | |
| THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD. | | | |


| W/O: | | WORK ORDER CHANGES | | | | | | |
|------|------|--------------------|------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | | |
| | | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |


NOTE: Date & initial all entries




D3914-1 RIB



83679



D3914-7 RIB



NOTES:

1) MATERIAL -1: AISI 304/316 SEAMLESS STAINLESS STEEL SQUARE TUBE, 0.75 X 0.75 X 0.049 WALL
REF DART SPEC. M304TS0.750W.049

-7: AISI 304/316 SEAMLESS STAINLESS STEEL SQUARE TUBE, 0.50 X 0.50 X 0.049 WALL
REF DART SPEC. M304TS0.500W.049

- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: SEE ASSEMBLED WEIGHTS

RELEASED
10.08.17.02

| | | | |
|------------|----------|--|--------------|
| DESIGN | ALS | DART AEROSPACE LTD | |
| DRAWN | SC | HAWKESBURY, ONTARIO, CANADA | |
| CHECKED | SC | DRAWING NO. | REV. B |
| MFG. APPR. | WJP | D3914 | SHEET 4 OF 4 |
| APPROVED | WJP | TITLE | SCALE |
| DE APPR. | WJP | LONG BASKET LID ASSY (350) | NTS |
| DATE | 10.08.05 | <small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small> | |

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

8 7 6 5 4 3 2 1


D

C

B

A

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 83679 MLCJ
12/04/23



9 D4020-1 MESH (350 BASKET LONG, BASE)
(SEE D4020-1F FOR LENGTH)

9 D4020-3 (350 BASKET SHORT, BASE)
(SEE D4020-3F FOR LENGTH)

RELEASED
2010-03-12
WJ

NOTES:

- 1) MATERIAL-1: MAKE FROM D4020-1F
-3: MAKE FROM D4020-3F
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: SEE D4020-1F & D4020-3F
- 8) LOCAL TRIM MAY BE NECESSARY TO CLEAR FASTENERS/STRUCTURE SEE NEXT ASSY FOR DETAILS
- 9) PRE-FORMING OF MESH PER SHOP OPTION, THIS VIEW MAY BE USED FOR REF ONLY

| A NEW ISSUE | | JPH | 10.03.04 |
|-------------|-------------|---|--------------|
| REV. | DESCRIPTION | | BY DATE |
| DESIGN | AJS | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA | |
| DRAWN | JPH | | |
| CHECKED | W | DRAWING NO. | REV. A |
| MFG. APPR. | E | D4020 | SHEET 1 OF 4 |
| APPROVED | W | TITLE | SCALE |
| DE APPR. | W | 350 BASKET MESH (BASE) | NTS |
| DATE | 10.03.04 | COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD | |

8 7 6 5 4 3 2 1

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

83679



9 D4020-5 MESH (350 BASKET LONG, LID)
(LOCAL SECTION MESH SHOWN FOR CLARITY)

9 D4020-7 MESH (350 BASKET SHORT, LID)
(LOCAL SECTION MESH SHOWN FOR CLARITY)

NOTES:

- 1) MATERIAL: AISI 304/316 EXPANDED STAINLESS STEEL MESH 3/4-16F
REF DART SPEC. M304EX0.75-16F
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT -5: 0.80 lbs APPROX
-7: 4.49 lbs APPROX
- 8) LOCAL TRIM MAY BE NECESSARY TO CLEAR FASTENERS/STRUCTURE SEE NEXT ASSY FOR DETAILS
- 9) TOLERANCE ON XX.XX DIMENSIONS ± 0.06 .

RELEASED
2010-03-12
MD

| | | | |
|------------|----------|---|--------------|
| DESIGN | AJS | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA | |
| DRAWN | JPH | | |
| CHECKED | JPH | DRAWING NO. | REV. A |
| MFG. APPR. | JPH | D4020 | SHEET 2 OF 4 |
| APPROVED | JPH | TITLE | SCALE |
| DE APPR. | JPH | 350 BASKET MESH (BASE) | NTS |
| DATE | 10.03.04 | COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMERCIALIZED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD | |

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

93673






9 D4020-11 END MESH, BASKET

NOTES:

- 1) MATERIAL: AISI 304/316 EXPANDED STAINLESS STEEL MESH 3/4-16F
REF DART SPEC. M304EX0.75-16F
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 1.22 lbs
- 8) LOCAL TRIM MAY BE NECESSARY TO CLEAR FASTENERS/STRUCTURE SEE NEXT ASSY FOR DETAILS
- 9) TOLERANCE ON XX.XX DIMENSIONS ± 0.06 .

RELEASED
2010-03-12

| | | | |
|---|---|--|--------------|
| DESIGN | AJS | DART AEROSPACE LTD | |
| DRAWN | JPH | HAWKESBURY, ONTARIO, CANADA | |
| CHECKED |  | DRAWING NO. | REV. A |
| MFG. APPR. | | D4020 | SHEET 3 OF 4 |
| APPROVED |  | TITLE | SCALE |
| DE APPR. |  | 350 BASKET MESH (BASE) | NTS |
| DATE | 10.03.04 | COPYRIGHT © 2010 BY DART AEROSPACE LTD | |
| THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE LOANED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD | | | |

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

83679



- 8) **D4020-1F MESH (350 BASKET LONG BASE)**
(LOCAL SECTION MESH SHOWN FOR CLARITY)
- 8) **D4020-3F MESH (350 BASKET SHORT, BASE)**
(LOCAL SECTION MESH SHOWN FOR CLARITY)

RELEASED
2010-03-13
NW

- NOTES:**
- 1) MATERIAL: AISI 304/316 EXPANDED STAINLESS STEEL MESH 3/4-16F
REF DART SPEC. M304EX0.75-16F
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT -1F: 17.33 lbs APPROX
-3F: 10.16 lbs APPROX
 - 8) TOLERANCE ON XX.XX DIMENSIONS ± 0.06 .

| | | | |
|------------|--------------------|---|--------------|
| DESIGN | AJS | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA | |
| DRAWN | JPH | | |
| CHECKED | <i>[Signature]</i> | DRAWING NO. | REV. A |
| MFG. APPR. | <i>[Signature]</i> | D4020 | SHEET 4 OF 4 |
| APPROVED | <i>[Signature]</i> | TITLE | SCALE |
| DE APPR. | <i>[Signature]</i> | 350 BASKET MESH (BASE) | NTS |
| DATE | 10.03.04 | COPYRIGHT © 2010 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small> | |

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries